No.



8900321

# THE UNITED STATES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

pioneer Gi-Gred International, Inc.

Tillierens, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different therefrom, to the extent provided by the Plant Variety Protection Act at 1542, as amended, 7 u.s.c. 2321 et seq.)

CORN

'PHR63'

In Ecotimony Winercot, I have hereunto set my hand and caused the seal of the Elant Variety Exotection Office to be affixed at the City of Washington, D. C. this 30th day of November in the year of our Lord one thousand nine hundred and ninety.

Allast

Kenneth Herens

Plant Variety Protection Office Agricultural Marketing Service

Secretary of Agriculture

U.S. DEPARTMENT				FORM	A APPROVED: OMB NO. 0681-0055
AGRICULTURAL MA	ARKETING SER	VICE		Applic	cation is required in order to determine
ADDI IOATION FOR DI ANTIVARI	5 <b>7</b> 1/ 55 67			ifapl beiss	ant variety protection certificate is to ued (7 U.S.C. 2421). Information is
APPLICATION FOR PLANT VARI	ETY PROTE s on reverse)	:CTI	DINCERTIFICATE	held d	confidential until certificate is issued
1. NAME OF APPLICANT(S)	S UII (EVELSE)	12 7	TEMPORARY DESIGNATION	<u> </u>	S.C. 2426). ARIETY NAME
Pioneer Hi-Bred International	Tnc	1	CIMI ONATT DESIGNATION	J. <i>V.</i>	PHR63
		1_			
4. ADDRESS (Street and No. or R.F.D. No., City, Sta Plant Breeding Division	te, and Zip Code	/ 5. f	PHONE (Include area code)	27/200	NUMBER
Department of Corn Breeding				PVFC	
PO Box 85		_	15/270 2200	i	8900321
Johnston, IA 50131-0085  6. GENUS AND SPECIES NAME	7. FAMILY NA		15/270-3300		DATE
o, serves and or cores manual	/. FAMILT NA	AIVIE II	octanicar)	S	Sept. 28, 1989
700 mays	Graminea			FILING	FIME
Zea mays	Gramine	ie.		ıı.	2:00 A.M. UP.M.
8. KIND NAME	l g	DA	E OF DETERMINATION		AMOUNT FOR FILING
	1			۵	\$ 1800 + 35000
Corn	j		1987	Ž	DATE AC 1888 A
Corn 1987				RECEIVED	Just 28 1789; Oct. 10,1;
<ol> <li>IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)</li> </ol>	N," GIVE FOR	MOF	DRGANIZATION (Corporation,		AMOUNT FOR CERTIFICATE
				FEES	\$ 250
Corporation					Nov. 13, 1990
11. IF INCORPORATED, GIVE STATE OF INCORPORATED	ORATION			12. [	DATE OF INCORPORATION
Iowa			Ì		ay 6, 1926
13 NAME AND ADDRESS OF APPLICANT REPRES	SENTATIVE(S),	IF AN	Y, TO SERVE IN THIS APPLIC		
Plant Breeding Division					
Pioneer Hi-Bred International	, Inc.				
PO Box 85					515/270-3363
Johnston, IA 50131-0085			PHONE (Include area	a code	<sub>J:</sub> 515/270–3363
14. CHECK APPROPRIATE BOX FOR EACH ATTA					
a. Exhibit A, Origin and Breeding History of	f the Variety (Se	e Seci	ion 52 of the Plant Variety Prot	tectio	n Act.)
b. Exhibit B, Novelty Statement.		_			
c. X Exhibit C, Objective Description of Varie		n fron	n Plant Variety Protection Office	e.)	
d. Exhibit D, Additional Description of Vari					
e. X Exhibit E, Statement of the Basis of Appl 15. DOES THE APPLICANT(S) SPECIFY THAT SEE			DE COLD BY WARIETY NAME	ONL	V AS A CLASS OF CERTIFIED
SEED? (See Section 83(a) of the Plant Variety Pro		11511	Yes (If "Yes," answer it		
<ol> <li>DOES THE APPLICANT(S) SPECIFY THAT THI LIMITED AS TO NUMBER OF GENERATIONS?</li> </ol>			17. IF "YES" TO ITEM 16, W BEYOND BREEDER SEE		CLASSES OF PRODUCTION
Yes No			Foundation	R	egistered Certified
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTEC	TION	OF THE VARIETY IN THE U.	<b>5.</b> ?	Yes (If "Yes," give date)
					l ves /// res, give date,
					X No
19. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALI	F OB	MARKETED IN THE U.S. OR	ОТНЕ	
is. The the Variet Peer Regended, of the	. ILD I OII GAL	-, 011	MATRETED IN THE 0.5. OF	· · · · ·	Yes (If "Yes," give names
					of countries and dates)
					X No
20. The applicant(s) declare(s) that a viable samplenished upon request in accordance with s				with	the application and will be re-
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this se ection 41, and	exuall is ent	y reproduced novel plant vari itled to protection under the	ety, a	and believe(s) that the variety is is is is on a fection 42 of the Plant
Applicant(s) is (are) informed that false repr	esentation here	ein ca	n jeopardize protection and r	esult	in penalties.
SIGNATURE OF APPLICANT					ATE
Pioneer Hi-Bred International,	Inc.				
SIGNATURE OF APPLICANT				D	ATE
Richard & McConnell					9-22-89

FORM LS-470 (3-86) 14A. Exhibit A. Origin and Breeding History

Pedigree: PHG29/B89)XA2122X

Pioneer line PHR63, Zea mays L., a yellow dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross PHG29 x B89 using the pedigree method of breeding. The progenitors of PHR63 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above F1 cross for six generations in the development of PHR63 at Garden City, Kansas. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Garden City, Kansas, as well as other Pioneer research stations in the full season areas of the southwestern U.S. Corn Belt. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations made for uniformity.

PHR63 has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHR63.

## Developmental History for PHR63

Season/Year	Inbreeding Level
Summer 1979	FO (Cross made)
Winter 1980	F1
Summer 1980	F2
Summer 1982	F3
Winter 1983	F 4
Summer 1983	F5
Summer 1984	F6
Winter 1985	F7*
Summer 1985	F8
Winter 1986	F9
Summer 1986	F10
Winter 1987	F11**

<sup>\*</sup> PHR63 was selfed and selected through F7 generation.

<sup>\*\*</sup> PHR63 was selfed and ear-rowed from F8 through F11 generations.

#### EXHIBIT B. Novelty Statement.

PHR63 is most similar to the Pioneer Hi-Bred International, Inc. proprietary inbred line PHV78 (PVP Certificate No. 8800003). PHR63 is earlier in maturity compared to PHV78. PHR63 sheds pollen and silks approximately 100 (1463 versus 1563) and 138 (1485 versus 1625) growing degree units earlier than PHV78. PHR63 has lighter (medium versus dark) green leaves and more (many versus none) marginal waves than PHV78. PHR63 has yellow anthers and pink silk and cobs whereas PHV78 has red anthers, silk, and cobs. PHR63 has distinct, slightly curved kernel rows compared to distinct, straight kernel rows for PHV78.

PHR63 has significantly shorter plant height (186.7 centimeters versus 212.9 centimeters) and ear placement is lower (65.8 centimeters versus 74.2 centimeters) than PHV78.

#### VARIETY DESCRIPTION INFORMATION

Type: Dent Region Best Adapted: Central & West 10/19/9

A. Maturity: Averaged across maturity zones. Zone: 0

INBRED = PHR63
Heat Unit Shed: 1480
Heat Unit Silk: 1510
No. Reps: 57

- \* If maximum is greater than 86 degrees fahrenheit, then 86 is used and if minimum is less than 50, then 50 is used. Heat units accumulated daily and can not be less than 0.
- B. Plant Characteristics:

Plant height (to tassel tip): 220 cm
Length of top ear internode: 13 cm
Number of ears per stalk: Single ear with slight two-ear tendency
Ear height (to base of top ear): 79 cm
Number of tillers: None
Cytoplasm type: Normal

#### C. Leaf:

Color: (WF9) Medium green
Angle from Stalk: 30 - 60 degrees
Marginal Waves: (OH7L) Many
Number of Leaves (mature plants): 19
Sheath Pubescence: (W22) Light
Longitudinal Creases: (OH56A) Few
Length (Ear node leaf): 76 cm
Width (widest point, ear node leaf): 9 cm

#### D. Tassel:

Number lateral branches: 8

Branch Angle from central spike: 30 - 40 degrees

Pollen Shed: Heavy based on pollen Yield Test (114% of experiment mean).

Peduncle Length (top leaf to basal branches): 20 cm

JMS 10/19/90 Anther Color: Yellow with slight red tint

Glume Color: Green

### E. Ear (Husked Ear Data Except When Stated Otherwise): Length: 16 cm 87 gm Weight: Mid-point Diameter: 44 mm JM5 10/19/90 Silk Color: Yellowish pink Husk Extension (Harvest stage): Long (8-10cm beyond ear tip) Husk Leaf: Long (>15cm) Taper of Ear: Slight taper Position of Shank (dry husks): Drooping Kernel Rows: Distinct, slightly curved, Number = 16 Husk Color (fresh): Light green Husk Color (dry): Buff Shank Length: 17 cm Shank (No. of internodes): 8 F. Kernel (Dried): Size (from ear mid-point) Length: 11 mm Width: 8 mm Thick: 5 mm 20 - 40 % medium rounds based on Parent Shape Grade (% rounds): Test. Pericarp Color: Colorless Aleurone Color: Homozygous yellow Endosperm Color: Yellow Endosperm Type: Normal Gm Wt/100 Seeds (unsized): 28 gm G. Cob:

Diameter at mid-point: 27 mm Strength: Strong JMS 10/19/90 Color: Reddish-pink

#### H. Diseases:

Corn Lethal Necrosis (MCMV=Maize Chlorotic Mottle Virus and MDMV=Maize Dwarf Mosaic Virus): Intermediate Maize Dwarf Mosaic Complex (MDMV & MCDV=Maize Chlorotic Dwarf Virus): Susceptible Anthracnose Stalk Rot (C. Graminicola): Intermediate S. Leaf Blight (H. Maydis): Susceptible N. Leaf Blight (H. Turcicum): Intermediate Carbonum Leaf Blight (H. Carbonum): Intermediate Common Rust (P. Sorghi): Resistant Eye Spot (K. Zeae): Intermediate Gray Leaf Spot (C. Zeae): Susceptible Stewarts Wilt (E. Stewartii): Intermediate Goss's Wilt (C. Nebraskense): Resistant Common Smut (U. Maydis): Resistant Head Smut (S. Reiliana): Resistant Downy Mildew (S. Sorghi): Resistant Fusarium Ear Mold (F. Moniliforme): Resistant

#### I. Insects:

European Corn Borer-1 Leaf Damage (Pre-flowering): Intermediate European Corn Borer-2 (Post-flowering): Susceptible

### J. Variety Most Closely Resembling:

Character	Inbred
Maturity	PHV78
Plant Type	G35
Ear Type	G35
Kernel Type	G35
Usage	PHV78

PHV78 (PVP Certificate No. 8800003) and G35 (PVP Certificate No. 8300140) are Pioneer Hi-Bred International, Inc. proprietary inbreds.

Data for items B, C, D, E, F, and G are primarily based on a maximum of three reps of data from Johnston, Iowa grown in 1987 and 1988, plus description information from the maintaining station.

EXHIBIT D. ADDITIONAL DESCRIPTION OF PHR63.

INBRED PER SE YIELD TEST COMPARISON OF PHR63 AND PHV78 EVALUATED OVER THREE YEARS.

PHR63	PHV78
#1 - 1	#2 - I
VARIETY #	

						İ			ARIET	VARIETY #2 - PHV78	PHV78	i		* 	10% SIG	+	= 5% SIG	# = 1% SIG
YEAR	VAR #	BU ACR ABS	BU ACR %MIN	MST ABS	BAR PLT ABS	PLT HT ABS	EPAR HTT ABS	SDG VGR ABS	EST CIVIT ABS	GDU SHD ABS	GDU SLK ABS	TST WTA ABS	GRN	STPA GRN ABS	STK LDG ABS	RT LDG ABS	BRT STK ABS	
87	1 2 LOCS PROB	76.8 85.8 2.238	105 116 2 190	16.5 15.1 2 .073*	98.1 94.4 4 .006#	204.0 242.6 2 .134	77.5 82.6 2 .500				1510 1638 22 .000#	61.1 55.9 2 .153	8.0 8.3 200	5.3 6.4 6.1	99.0 98.9 1	74.2 1 72.4 3 .886	100.0 91.7 2 .333	
88	1 2 LOCS PROB				94.5 95.5 5 833	180.3 193.8 3 .490	56.6 62.7 3 .613		37.8 35.6 18 .008#	1499 1603 22 .000#	1526 1673 21 .000#			5.5 6.3 6				
68	1 2 LOCS PROB				100.0 97.7 2 .500	185.2 212.9 10 .002#	66.0 76.2 9	6.2 4.8 9			1428 1567 25 .000#			5.3 5.3 3				
IOTAL SUM	1 2 LOCS DIFF PROB	76.8 85.8 2 8.9 8.9	105 116 2 12 12 190	16.5 15.1 2 1.3 .073*	96.8 95.5 11 1.3 .535	186.7 212.9 15 26.2 .000#	65.8 74.2 14 8.4 .027+	5.7 5.1 25 0.7	30.4 29.6 70 0.8 .129	1463 1563 74 100	1485 1623 68 138 .000#	61.1 55.9 2 5.2 5.2	8.3 8.3 0.3 .500	5.4 6.2 15 0.8	99.0 98.9 0.1	74.2 1 72.4 3 1.8 .886	100.0 91.7 2 8.3 8.3	
YEAR	WAR #	BU ACR ABS	BU ACR %MIN	MST	BAR PLT ABS	PLT HT ABS	EAR HT ABS	SDG VGR ABS	EST CNT ABS	GDU SHD ABS	GDU SLK ABS	TST WTA ABS	GRN OUL ABS	STPA GEN ABS	STK LDG ABS	I.DG ABS	BRT STK ABS	·

#### **DEFINITIONS**

In the description and examples, a number of terms are used herein. In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided:

BAR PLT = BARREN PLANTS. This is the percent of plants per plot that were not barren (lack ears).

BRT STK = BRITTLE STALKS. This is a measure of the stalk breakage near the time of pollination, and is an indication of whether a hybrid or inbred would snap or break near the time of flowering under severe winds. Data are presented as percentage of plants that did not snap.

BU ACR = YIELD (BUSHELS/ACRE). Actual yield of the grain at harvest adjusted to 15.5% moisture. ABS is in absolute terms and % MN is percent of the mean for the experiments in which the hybrid or inbred was grown.

<u>DRP EAR = DROPPED EARS</u>. This is a measure of the number of dropped ears per plot and represents the percentage of plants that did not drop ears prior to harvest.

 $EAR\ HT = EAR\ HEIGHT.$  The ear height is a measure from the ground to the top developed ear node attachment and is measured in centimeters.

EST CNT = EARLY STAND COUNT. This is a measure of the stand establishment in the spring and represents the number of plants that emerge on a per plot basis for the hybrid or inbred.

GDU SHD = GDU TO SHED. The number of growing degree units (GDUs) or heat units required for an inbred line or hybrid to have approximately 50 percent of the plants shedding pollen and is measured from the time of planting. Growing degree units are calculated by the Barger Method, where the heat units for a 24-hour period are:

The highest maximum temperature used is 86°F and the lowest minimum temperature used is 50°F. For each inbred or hybrid it takes a certain number of GDUs to reach various stages of plant development.

GDU SLK = GDU TO SILK. The number of growing degree units required for an inbred line or hybrid to have approximately 50 percent of the plants with silk emergence from time of planting. Growing degree units are calculated by the Barger Method as given in GDU SHD definition.

GRN QUL = QUAL. = GRAIN QUALITY. This is a 1 to 9 rating for the general quality of the shelled grain as it is harvested based on such factors as the color of the harvested grain, any mold on the grain, and any cracked grain. High scores indicate good grain quality and low scores indicate poor grain quality.

MST = HARVEST MOISTURE. The moisture is the actual percentage
moisture of the grain at harvest.

PLT HT = PLANT HEIGHT. This is a measure of the height of the plant from the ground to the tip of the tassel in centimeters.

RT LDG = ROOT LODGING. Root lodging is the percentage of plants that do not root lodge; plants that lean from the vertical axis at an approximately 30° angle or greater would be counted as root lodged.

 $\underline{SDG\ VGR} = \underline{SEEDLING\ VIGOR}$ . This is the visual rating (1 to 9) of the amount of vegetative growth after emergence at the seedling stage (approximately five leaves). A higher score indicates better vigor and a low score indicates poorer vigor.

STA GRN = STAY GREEN. Stay green is the measure of plant health near the time of black layer formation (physiological maturity). A high score indicates better late-season plant health.

STK LDG = STALK LODGING. This is the percentage of plants that did not stalk lodge (stalk breakage) as measured by either natural lodging or pushing the stalks and determining the percentage of plants that break below the ear.

 $\underline{\text{TST WT}} = \underline{\text{TEST WEIGHT}}$  UNADJUSTED. The measure of weight of the grain in pounds for a given volume (bushel).

ADDITIONAL DATA: COMPARISON OF PIONEER HI-BRED INTERNATIONAL, INC. INBRED LINES PHR62 AND PHR63.

PHR62 and PHR63 are different based on physical characteristics. PHR62 and PHR63 are approximately the same height, but PHR63 has a lower (79 cm versus 101 cm) ear placement. PHR62 has more (many versus few) longitudinal creases than PHR63. The anther color of PHR62 is pink, it is yellow for PHR63. PHR62 has yellow silk, an upright shank, and straight, distinct kernel rows whereas PHR63 has pink silk, a drooping shank, and distinct, slightly curved kernel rows. The cob color of PHR62 is red, PHR63 has a pink cob. PHR62 is more resistant to Southern leaf blight and second-brood European corn borer, but is more susceptible to MCMV and MDMV, common rust, Goss's wilt, head smut, downy mildew, and fusarium ear mold than PHR63.

14E. Exhibit E. Statement of the Basis of Applicant's Ownership

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHR63. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHR63.